

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2008

Nature	Nature code ²	Local govern- ment ³	Summary occupational groups									
			Manage- ment, business, and financial occupations	Professional and related occupations	Service occupa- tions	Sales and related occupa- tions	Office and adminis- trative support occupa- tions	Farming, fishing, and forestry occupa- tions	Construc- tion and extraction occupa- tions	Install- ation, Main- tenance, and repair occupa- tions	Produc- tion occupa- tions	Transpor- ta- tion and material moving occupa- tions
Total		206,580	3,610	42,150	102,240	200	10,200	70	11,350	10,630	3,920	21,760
Traumatic injuries and disorders ...	0	192,540	3,380	39,560	95,420	200	9,050	60	10,770	9,620	3,680	20,420
Traumatic injuries and disorders, unspecified	00	9,270	330	1,960	4,430	—	520	—	380	290	110	1,190
Traumatic injuries to bones, nerves, spinal cord	01	14,830	280	4,860	6,240	—	840	—	630	390	290	1,270
Traumatic injuries to bones, nerves, spinal cord, unspecified	010	90	—	50	30	—	—	—	—	—	—	—
Dislocations	011	1,420	30	300	440	—	30	—	160	30	130	300
Fractures	012	13,060	250	4,430	5,600	—	810	—	460	360	160	970
Traumatic injuries to nerves, except the spinal cord	014	70	—	—	50	—	—	—	—	—	—	—
Multiple traumatic injuries to bones nerves, spinal cord	018	140	—	60	80	—	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	40	—	—	40	—	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	88,690	1,390	15,630	47,580	110	3,740	—	5,120	4,740	1,590	8,610
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	580	—	80	260	—	30	—	100	30	—	60
Sprains, strains, tears	021	87,910	1,390	15,460	47,220	110	3,710	—	5,010	4,710	1,580	8,540
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	200	—	90	100	—	—	—	—	—	—	—
Open wounds	03	11,380	180	1,720	5,590	—	180	—	630	1,220	190	1,670
Open wounds, unspecified	030	120	—	—	80	—	—	—	—	—	—	—
Amputations	031	600	—	—	70	—	—	—	70	160	—	280
Amputations, fingertip	0311	480	—	—	60	—	—	—	50	90	—	270
Amputations, except fingertip	0319	120	—	—	—	—	—	—	20	80	—	—
Animal or insect bites	032	1,140	—	150	550	—	30	—	40	20	—	320
Avulsions	033	40	—	20	—	—	—	—	—	—	—	—
Cuts, lacerations	034	7,750	100	1,200	4,090	—	110	—	440	880	180	750
Gunshot wounds	036	160	—	—	150	—	—	—	—	—	—	—
Punctures, except bites	037	1,540	30	330	610	—	40	—	70	140	—	310
Multiple open wounds	038	20	—	—	—	—	—	—	—	—	—	—
Open wounds, n.e.c.	039	20	—	—	20	—	—	—	—	—	—	—
Surface wounds and bruises	04	21,950	320	5,560	9,860	60	900	—	840	1,090	390	2,930
Surface wounds and bruises, unspecified	040	60	—	40	—	—	—	—	—	—	—	—
Abrasions, scratches	041	1,670	20	150	550	—	30	—	180	90	—	640
Blisters	042	50	—	20	30	—	—	—	—	—	—	—
Bruises, contusions	043	18,490	280	5,270	8,300	60	850	—	580	670	320	2,150

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2008 — Continued

Nature	Nature code ²	Local govern- ment ³	Summary occupational groups									
			Manage- ment, business, and financial occupations	Professional and related occupations	Service occupa- tions	Sales and related occupa- tions	Office and adminis- trative support occupa- tions	Farming, fish- ing, and forestry occupa- tions	Construc- tion and extraction occupa- tions	Install- ation, Main- tenance, and repair occupa- tions	Production occupa- tions	Transpor- ta- tion and material moving occupa- tions
Foreign bodies (superficial splinters, chips)	044	1,440	—	—	840	—	—	—	80	310	70	130
Multiple surface wounds and bruises	048	200	—	70	100	—	—	—	—	—	—	—
Surface wounds and bruises, n.e.c.	049	30	—	—	20	—	—	—	—	—	—	—
Burns	05	2,550	30	210	1,920	—	—	—	140	80	100	60
Chemical burns	051	450	—	50	290	—	—	—	—	20	50	30
Electrical burns	052	140	—	—	40	—	—	—	30	—	—	—
Heat burns, scalds	053	1,910	30	110	1,550	—	—	—	100	40	60	20
Burns, n.e.c.	059	40	—	—	30	—	—	—	—	—	—	—
Intracranial injuries	06	1,330	80	530	330	—	20	—	160	50	20	130
Intracranial injuries, unspecified	060	110	—	50	30	—	—	—	—	—	—	—
Cerebral hemorrhages	061	40	—	—	—	—	—	—	—	—	—	—
Concussions	062	1,180	60	440	310	—	20	—	160	50	20	120
Effects of environmental conditions	07	930	—	30	370	—	290	—	80	30	—	130
Effects of reduced temperature	071	60	—	—	—	—	—	—	—	—	—	—
Frostbite	0711	60	—	—	—	—	—	—	—	—	—	—
Effects of heat and light	072	880	—	20	370	—	290	—	80	30	—	80
Effects of heat and light, unspecified	0720	70	—	—	—	—	—	—	—	—	—	—
Heat stroke	0721	160	—	—	160	—	—	—	—	—	—	—
Heat syncope	0722	20	—	—	20	—	—	—	—	—	—	—
Heat fatigue	0723	320	—	—	—	—	290	—	—	—	—	—
Effects of heat and light, n.e.c.	0729	290	—	—	180	—	—	—	70	30	—	—
Multiple traumatic injuries and disorders	08	10,760	210	2,720	4,610	—	740	—	730	200	200	1,350
Multiple traumatic injuries and disorders, unspecified	080	840	40	430	150	—	50	—	140	—	—	30
Cuts, abrasions, bruises	081	1,840	—	360	760	—	320	—	130	40	—	200
Sprains and bruises	082	4,630	50	1,180	2,500	—	160	—	390	70	40	240
Fractures and other injuries	084	1,610	—	380	600	—	130	—	50	50	50	330
Other combinations of traumatic injuries and disorders, n.e.c.	089	1,840	100	380	590	—	70	—	30	30	90	540
Other traumatic injuries and disorders	09	30,840	560	6,360	14,480	20	1,810	40	2,060	1,540	770	3,080
Other traumatic injuries and disorders, unspecified	090	50	—	—	30	—	—	—	—	—	—	—
Asphyxiations/strangulations, suffocations	091	140	—	—	70	—	—	—	—	—	—	—
Electrocutions, electric shocks ...	093	180	—	—	160	—	—	—	—	—	—	—
Other poisonings and toxic effects	095	1,990	30	190	740	—	280	20	150	230	240	130

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Other poisonings and toxic effects, unspecified	0950	20	—	—	—	—	—	—	—	—	—	—
Animal or insect bites and stings, venomous	0951	1,040	—	150	480	—	50	20	130	90	—	110
Other poisonings and toxic effects, n.e.c.	0959	930	—	40	260	—	240	—	20	140	220	—
Nonspecified injuries and disorders	097	28,410	510	6,170	13,460	20	1,490	20	1,890	1,280	520	2,930
Crushing injuries	0971	1,140	—	90	620	—	40	—	70	160	20	120
Back pain, hurt back	0972	6,630	40	1,220	3,340	—	330	—	490	300	110	790
Soreness, pain, hurt, except the back	0973	17,920	420	4,110	8,490	—	950	20	1,160	700	360	1,700
Multiple nonspecified injuries and disorders	0978	1,650	—	480	660	—	100	—	130	90	20	160
Nonspecified injuries and disorders, n.e.c.	0979	1,060	30	260	340	—	70	—	40	20	—	170
Other traumatic injuries and disorders, n.e.c.	099	60	—	—	—	—	—	—	—	—	—	—
Systemic diseases and disorders ..	1	7,700	90	850	4,140	—	710	—	440	440	160	840
Systemic diseases and disorders, unspecified	10	20	—	—	—	—	—	—	—	—	—	—
Nervous system and sense organs diseases	12	1,540	50	130	630	—	380	—	160	110	20	60
Disorders of the peripheral nervous system	124	1,090	50	70	440	—	380	—	40	40	20	50
Disorders of the peripheral nervous system, unspecified	1240	20	—	—	—	—	—	—	—	—	—	—
Carpal tunnel syndrome	1241	1,040	50	70	420	—	380	—	30	20	20	50
Other disorders of the peripheral nervous system, n.e.c.	1249	30	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	125	380	—	60	160	—	—	—	120	40	—	—
Disorders of the eye, adnexa, vision, unspecified	1250	30	—	—	20	—	—	—	—	—	—	—
Conjunctivitis non-viral	1252	120	—	20	90	—	—	—	—	—	—	—
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	40	—	—	30	—	—	—	—	—	—	—
Welder's flash	1256	20	—	—	—	—	—	—	—	—	—	—
Disorders of the eye, adnexa, vision, n.e.c.	1259	170	—	—	—	—	—	—	110	—	—	—
Disorders of the ear, mastoid process, hearing	126	60	—	—	20	—	—	—	—	20	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Deafness, hearing loss or impairment	1261	50	—	—	20	—	—	—	—	20	—	—
Circulatory system diseases	13	570	—	30	490	—	—	—	—	—	—	—
Hypertensive disease	132	100	—	—	100	—	—	—	—	—	—	—
Ischemic heart disease, including heart attack	133	360	—	—	320	—	—	—	—	—	—	—
Myocardial infarction (heart attack)	1331	360	—	—	320	—	—	—	—	—	—	—
Other forms of heart disease	135	30	—	—	20	—	—	—	—	—	—	—
Other forms of heart disease, n.e.c.	1359	20	—	—	—	—	—	—	—	—	—	—
Cerebrovascular disease	136	50	—	—	40	—	—	—	—	—	—	—
Stroke	1361	50	—	—	40	—	—	—	—	—	—	—
Respiratory system diseases	14	620	—	210	130	—	160	—	—	80	—	—
Respiratory system diseases, unspecified	140	210	—	40	30	—	140	—	—	—	—	—
Acute respiratory infections (including common cold)	141	30	—	20	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract	142	50	—	30	—	—	—	—	—	—	—	—
Other diseases of upper respiratory tract, unspecified	1420	20	—	20	—	—	—	—	—	—	—	—
Allergic rhinitis	1421	20	—	—	—	—	—	—	—	—	—	—
Pneumonia, influenza	143	150	—	—	40	—	—	—	—	—	—	—
Pneumonia	1431	150	—	—	40	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions ...	144	170	—	20	30	—	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	20	—	—	—	—	—	—	—	—	—	—
Extrinsic asthma	1443	60	—	20	20	—	—	—	—	—	—	—
Other respiratory system diseases	149	20	—	—	20	—	—	—	—	—	—	—
Digestive system diseases and disorders	15	1,760	—	60	1,190	—	—	80	210	70	130	
Hernia	153	1,760	—	60	1,190	—	—	80	210	70	130	
Hernia, unspecified	1530	540	—	30	380	—	—	20	50	—	20	
Inguinal hernia	1531	650	—	20	370	—	—	50	130	—	70	
Ventral hernia	1533	240	—	—	170	—	—	—	20	—	40	
Hernia, n.e.c.	1539	320	—	—	260	—	—	—	—	40	—	
Musculoskeletal system and connective tissue diseases and disorders	17	1,680	20	210	820	—	140	—	50	—	—	410
Dorsopathies	172	200	—	—	120	—	—	—	—	—	—	60
Sciatica	1721	40	—	—	30	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Disc disorders, except dislocation	1723	30	—	—	—	—	—	—	—	—	—	20
Dorsopathies, n.e.c.	1729	130	—	—	90	—	—	—	—	—	—	30
Rheumatism, except the back ...	173	1,320	20	190	560	—	140	—	50	—	—	350
Rheumatism, except the back, unspecified	1730	390	—	—	—	—	60	—	—	—	—	310
Bursitis	1731	40	—	—	—	—	—	—	—	—	—	—
Tendonitis	1733	480	—	90	300	—	50	—	—	—	—	—
Tenosynovitis	1734	130	—	40	90	—	—	—	—	—	—	—
Ganglion/cystic tumor	1735	40	—	—	30	—	—	—	—	—	—	—
Rheumatism, except the back, n.e.c.	1739	250	—	50	120	—	30	—	—	—	—	20
Disorders of the skin and subcutaneous tissue	18	1,470	—	200	850	—	—	—	140	30	20	220
Disorders of the skin and subcutaneous tissue, unspecified	180	70	—	—	60	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	181	410	—	100	270	—	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue, unspecified	1810	190	—	—	180	—	—	—	—	—	—	—
Cellulitis and abscess	1812	210	—	100	80	—	—	—	—	—	—	—
Dermatitis	182	940	—	90	470	—	—	—	120	30	—	200
Dermatitis, unspecified	1820	140	—	30	90	—	—	—	—	—	—	—
Contact dermatitis, unspecified	1822	130	—	—	70	—	—	—	—	20	—	20
Allergic contact dermatitis	1823	610	—	40	280	—	—	—	110	—	—	180
Irritant contact dermatitis	1824	60	—	—	30	—	—	—	—	—	—	—
Diseases of sebaceous glands	184	40	—	—	—	—	—	—	—	—	—	—
Sebaceous cyst	1842	40	—	—	—	—	—	—	—	—	—	—
Infectious and parasitic diseases ..	2	380	—	200	170	—	—	—	—	—	—	—
Infectious and parasitic diseases, unspecified	20	40	—	30	—	—	—	—	—	—	—	—
Bacterial diseases	21	100	—	40	40	—	—	—	—	—	—	—
Bacterial diseases, unspecified	210	20	—	—	—	—	—	—	—	—	—	—
Zoonotic bacterial diseases	212	20	—	—	—	—	—	—	—	—	—	—
Zoonotic bacterial diseases, n.e.c.	2129	20	—	—	—	—	—	—	—	—	—	—
Other bacterial diseases	219	60	—	40	20	—	—	—	—	—	—	—
Other bacterial diseases, n.e.c.	2199	50	—	40	—	—	—	—	—	—	—	—
Viral diseases	22	140	—	110	30	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Viral diseases accompanied by exanthem (eruptive fever)	223	100	—	80	20	—	—	—	—	—	—	—
Chickenpox	2233	90	—	80	20	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae	229	30	—	20	20	—	—	—	—	—	—	—
Other diseases due to viruses and Chlamydiae, n.e.c.	2299	30	—	20	—	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines	26	30	—	—	30	—	—	—	—	—	—	—
Infectious diseases peculiar to the intestines, unspecified	260	30	—	—	30	—	—	—	—	—	—	—
Other infectious and parasitic diseases	29	70	—	20	50	—	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	60	—	—	50	—	—	—	—	—	—	—
Neoplasms, tumors, and cancer	3	120	—	—	120	—	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas)	31	110	—	—	110	—	—	—	—	—	—	—
Malignant neoplasms and tumors (cancers, carcinomas, sarcomas), unspecified	310	70	—	—	70	—	—	—	—	—	—	—
Malignant neoplasms and tumors of the skin	312	20	—	—	20	—	—	—	—	—	—	—
Melanoma of the skin (melanocarcinoma)	3121	20	—	—	20	—	—	—	—	—	—	—
Malignant neoplasms and tumors of other sites	319	20	—	—	20	—	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	4	3,340	60	900	1,410	—	160	—	70	520	50	160
Symptoms, signs, and ill-defined conditions, unspecified	40	60	—	—	40	—	—	—	—	—	—	—
Symptoms	41	3,250	60	890	1,330	—	160	—	70	520	50	160
General symptoms	411	1,000	40	180	370	—	60	—	40	250	—	60
General symptoms, unspecified	4110	180	—	—	150	—	—	—	—	—	—	—
Loss of consciousness not heat related	4111	140	—	50	50	—	—	—	—	—	—	20
Dizziness	4114	160	—	30	50	—	—	—	—	50	—	—
Non-specified allergic reaction	4115	70	—	20	30	—	—	—	—	—	—	20
Multiple general symptoms	4118	40	—	—	30	—	—	—	—	—	—	—
General symptoms, n.e.c.	4119	380	20	70	50	—	20	—	—	200	—	—
Symptoms involving nervous and musculoskeletal systems ..	412	220	—	40	110	—	30	—	—	—	—	—

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2008 — Continued

Nature	Nature code ²	Local government ³	Summary occupational groups									
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations
Earache	4122	20	—	—	—	—	—	—	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	50	—	—	—	—	—	—	—	—	—	—
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	140	—	20	60	—	30	—	—	—	—	—
Symptoms involving skin and other integumentary tissue	413	700	—	300	190	—	—	—	—	180	—	—
Edema (including dropsy)	4131	700	—	300	180	—	—	—	—	180	—	—
Symptoms involving head and neck	414	300	—	200	50	—	30	—	—	—	—	—
Headache, except migraine ...	4141	260	—	200	20	—	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	40	—	—	—	—	20	—	—	—	—	—
Symptoms involving cardiovascular system	415	150	—	—	150	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	4150	60	—	—	60	—	—	—	—	—	—	—
Symptoms involving cardiovascular system, n.e.c.	4159	50	—	—	50	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	780	—	160	410	—	30	—	20	80	—	70
Symptoms involving respiratory system and chest, unspecified	4160	190	—	70	50	—	—	—	—	—	—	60
Chest pain	4164	220	—	—	180	—	—	—	—	—	—	—
Multiple symptoms involving respiratory system and chest	4168	20	—	—	—	—	—	—	—	—	—	—
Symptoms involving respiratory system and chest, n.e.c.	4169	350	—	80	180	—	—	—	—	70	—	—
Multiple symptoms	418	80	—	—	40	—	—	—	—	—	—	—
Abnormal findings	42	20	—	—	20	—	—	—	—	—	—	—
Abnormal findings from histological and immunological studies	426	20	—	—	20	—	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	1,100	30	190	450	—	90	—	30	—	20	280
Mental disorders or syndromes	52	1,090	30	190	450	—	90	—	30	—	—	280

See footnotes at end of table.

TABLE L48. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and summary occupational groups, local government, 2008 — Continued

Nature	Nature code ²	Local govern- ment ³	Summary occupational groups									
			Manage- ment, business, and financial occupations	Professional and related occupations	Service occupa- tions	Sales and related occupa- tions	Office and adminis- trative support occupa- tions	Farming, fish- ing, and forestry occupa- tions	Construc- tion and extraction occupa- tions	Install- ation, Main- tenance, and repair occupa- tions	Produc- tion occupa- tions	Transpor- ta- tion and material moving occupa- tions
Mental disorder or syndrome, unspecified	520	30	—	—	—	—	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	1,060	30	190	430	—	80	—	30	—	—	280
Anxiety, stress, neurotic disorders, unspecified	5210	350	30	90	140	—	—	—	20	—	—	60
Post-traumatic anxiety acute	5211	460	—	50	180	—	50	—	—	—	—	160
Neurotic reaction to stress	5214	230	—	40	90	—	20	—	—	—	—	60
Neurotic disorders, n.e.c.	5219	20	—	—	—	—	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	240	—	190	30	—	—	—	—	20	—	—
Nonclassifiable	9999	1,150	40	250	520	—	170	—	40	30	—	50

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies